

# CATTLE VACCINE GUIDE

## BACTERIAL DISEASES

## VIRAL DISEASES

	REG. NO.	PACK SIZE	DOSE	ADMINISTRATION	Botulism ( <i>C. botulinum</i> )	Bovine Brucellosis ( <i>Brucella abortus</i> )	Anthrax ( <i>Bacillus anthracis</i> )	Pasteurella infections ( <i>Mannheimia haemolytica</i> )	Black quarter/Quarter evil ( <i>C. chauvoei</i> )	Bacterial red urine ( <i>C. haemolyticum</i> / <i>C. novyi</i> type D)	Black disease ( <i>C. novyi</i> type B)	Redgut ( <i>C. perfringens</i> type A)	Redgut ( <i>C. perfringens</i> type B)	Redgut ( <i>C. perfringens</i> type C)	Redgut ( <i>C. perfringens</i> type D)	Gas gangrene ( <i>C. septicum</i> )	Gas gangrene ( <i>C. sordellii</i> )	Tetanus ( <i>C. tetani</i> )	Scours ( <i>E.coli</i> )	Infectious Keratoconjunctivitis ( <i>Moraxella bovis</i> )	Paratyphoid ( <i>Salmonella dublin</i> / <i>Salmonella typhimurium</i> )	BVD (Bovine viral diarrhoea)	IBR (Infectious bovine rhinotracheitis)	Rotavirus	Coronavirus	Lumpy skin disease	P13	
<b>SINGLE</b>																												
Anthravax®	G2064	100 ml	1 ml	s/c			•																					
Botuvax®	G2193	100 ml	2 ml	s/c	•																							
Sponsvax®	G2063	100 ml	2 ml	s/c				•																				
Bovilis® S	G3763	20 ml/100 ml	2 ml	s/c																		•						
Bovi-Tect P	G3002	10 ml/100 ml	1 ml	s/c			•																					
Lumpyvax®	G3673	20 ml/100 ml	1 ml	s/c																						•		
RB51	G3056	10 ml/50 ml	2 ml	s/c		•																						
Piliguard® Pinkeye - 1 Trivalent	G2803	20 ml/100 ml	2 ml	i/m s/c															•									
<b>COMBINATIONS</b>																												
Multiclos	G3392	100 ml/250 ml	5 ml	s/c					•	•	•		•	•	•	•	•	•										
Covexin®10	G3354	100 ml	2 ml	s/c					•	•		•	•	•	•	•	•	•										
Botuthrax	G3783	100 ml	2 ml	s/c	•		•																					
Blanthrax®	G1593	150 ml	2 ml	s/c			•																					
Duovax	G2328	100 ml	2 ml	s/c	•		•																					
Supavax®	G2643	50 ml/100 ml	2 ml	s/c	•		•																					
Rotavec® Corona	G2955	40 ml	2 ml	s/c															•									
Bovi-Tect PI	G3001	10 ml/100 ml	1 ml	s/c				•																•				
Bovi-Tect III	G3211	100 ml	1 ml	s/c				•															•		•			
Respiravax	G3867	20 ml/100 ml	1 ml	s/c				•															•					•

# BEESENTSTOFGIDS

## BAKTERIËLE SIEKTES

## VIRUSSIEKTES

	REG. NR.	VERPAKKING	DOSIS	TOEDIENING	Lamsiekte ( <i>C. botulinum</i> )	Besmetlike misgeboorte ( <i>Brucella abortus</i> )	Miltsiekte ( <i>Bacillus anthracis</i> )	Pasteurella infeksies ( <i>Mannheimia haemolytica</i> )	Sponssiekte ( <i>C. chauvoei</i> )	Bakteriese rooi urine ( <i>C. haemolyticum</i> / <i>C. novyi</i> tipe D)	Aansteeklike nekrotiese hepatitis ( <i>C. novyi</i> tipe B)	Rooiderm ( <i>C. perfringens</i> tipe A)	Rooiderm ( <i>C. perfringens</i> tipe B)	Rooiderm ( <i>C. perfringens</i> tipe C)	Rooiderm ( <i>C. perfringens</i> tipe D)	Kwaadaardige edeem ( <i>C. septicum</i> )	Kwaadaardige edeem ( <i>C. sordellii</i> )	Klem-in-die-kaak ( <i>C. tetani</i> )	Scours ( <i>E.coli</i> )	Besmetlike Keratokonjunktivitis ( <i>Moraxella bovis</i> )	Paratiftus ( <i>Salmonella dublin</i> / <i>Salmonella typhimurium</i> )	BVD (Beesvirusdiarree)	IBR (Besmetlike beesrhinotracheitis)	Rotavirus	Koronavirus	Knopvelsiekte	P13	
<b>ENKEL</b>																												
Anthravax®	G2064	100 ml	1 ml	o/h			•																					
Botuvax®	G2193	100 ml	2 ml	o/h	•																							
Sponsvax®	G2063	100 ml	2 ml	o/h				•																				
Bovilis® S	G3763	20 ml/100 ml	2 ml	o/h																		•						
Bovi-Tect P	G3002	10 ml/100 ml	1 ml	o/h			•																					
Lumpyvax®	G3673	20 ml/100 ml	1 ml	o/h																						•		
RB51	G3056	10 ml/50 ml	2 ml	o/h		•																						
Piliguard® Pinkeye - 1 Trivalent	G2803	20 ml/100 ml	2 ml	b/s o/h																•								
<b>KOMBINASIES</b>																												
Multiclos	G3392	100 ml/250 ml	5 ml	o/h					•	•	•		•	•	•	•	•	•	•									
Covexin®10	G3354	100 ml	2 ml	o/h					•	•		•	•	•	•	•	•	•	•									
Blanthrax®	G1593	150 ml	2 ml	o/h			•																					
Botuthrax	G3783	100 ml	2 ml	o/h	•		•																					
Duovax	G2328	100 ml	2 ml	o/h	•		•																					
Supavax®	G2643	50 ml/100 ml	2 ml	o/h	•		•																					
Rotavec® Corona	G2955	40 ml	2 ml	b/s																•								
Bovi-Tect PI	G3001	10 ml/100 ml	1 ml	o/h				•																•				
Bovi-Tect III	G3211	100 ml	1 ml	o/h				•															•		•			
Respiravax	G3867	20 ml/100 ml	1 ml	o/h				•															•					•

# SHEEP VACCINE GUIDE

## BACTERIAL DISEASES

	PACK SIZE	DOSE	ADMINISTRATION	Blackquarter ( <i>C. chauvoei</i> )	Bacterial red urine ( <i>C. haemolyticum/C. novyi</i> type D)	Black Disease ( <i>C. novyi</i> type B)	Bloodgut ( <i>C. perfringens</i> type A)	Lamb dysentery ( <i>C. perfringens</i> type B)	Bloodgut ( <i>C. perfringens</i> type C)	Pulpy Kidney ( <i>C. perfringens</i> type D)	Uterine gangrene ( <i>C. septicum</i> )	Gas gangrene ( <i>C. sordellii</i> )	Enzootic abortion ( <i>Chlamydia abortus</i> )	Tetanus ( <i>C. tetani</i> )	Botulism ( <i>C. botulinum</i> )	Anthrax ( <i>B. anthracis</i> )	<i>Mannheimia haemolytica</i> (YRP Technology)	<i>Pasteurella trehalosi</i> (YRP Technology)
<b>SINGLE</b>																		
Anthravax®	100 ml	0,5 ml	s/c															
Botuvax®	100 ml	1 ml	s/c															
Sponsvax®	100 ml	1 ml	s/c	•														
Pulpyvax®	100 ml/100d 250 ml/250d	1 ml	s/c							•								
Pulpyvax® 1 Shot	100 ml/100d	1 ml	i/m							•								
Ovillis® Enzovax	40 ml/20d	2 ml	s/c or i/m										•					
<b>COMBINATIONS</b>																		
Multiclos	100 ml/250 ml	3 ml	s/c	•	•	•		•	•	•	•	•						
Blanthrax®	150 ml	2 ml	s/c	•												•		
Botuthrax	100 ml	2 ml	s/c												•	•		
Duovax	100 ml	2 ml	s/c	•											•	•		
Supavax®	100 ml	2 ml	s/c	•											•	•		
Multivax-P	100/250/500 ml	2 ml	s/c	•						•	•			•			•	•
Multivax-P Plus	100/250/500 ml	2 ml	s/c	•		•		•	•	•	•			•			•	•
Covexin®10	100 ml	1 ml	s/c	•	•	•	•	•	•	•	•	•		•				

# SKAAPENTSTOFGIDS

## BAKTERIËLE SIEKTES

	VERPAKKING	DOSIS	TOEDIENING	Sponsiekte ( <i>C. chauvoei</i> )	Bakteriese rooi urine ( <i>C. haemolyticum/C. novyi</i> type D)	Aansteeklike nekrotiese hepatitis ( <i>C. novyi</i> type B)	Rooierm ( <i>C. perfringens</i> tipe A)	Bloedpens ( <i>C. perfringens</i> tipe B)	Bloedderm ( <i>C. perfringens</i> tipe C)	Bloednier ( <i>C. perfringens</i> tipe D)	Baarmoedersponsiekte ( <i>C. septicum</i> )	Kwaadaardige edeem ( <i>C. sordellii</i> )	Ensoötiese Aborsie ( <i>Chlamydia Abortus</i> )	Klem-in-die-kaak ( <i>C. tetani</i> )	Lamsiekte ( <i>C. botulinum</i> )	Miltsiekte ( <i>B. anthracis</i> )	<i>Mannheimia haemolytica</i> (YRP Tegnologie)	<i>Pasteurella trehalosi</i> (YRP tegnologie)	
<b>ENKEL</b>																			
Anthravax®	100 ml	0,5 ml	o/h														•		
Botuvax®	100 ml	1 ml	o/h													•			
Sponsvax®	100 ml	1 ml	o/h	•															
Pulpyvax®	100 ml/100d 250 ml/250d	1 ml	o/h							•									
Pulpyvax® 1 Shot	100 ml/100d	1 ml	b/s							•									
Ovillis® Enzovax	40 ml/20d	2 ml	o/h of b/s										•						
<b>KOMBINASIES</b>																			
Multiclos	100 ml/250 ml	3 ml	o/h	•	•	•		•	•	•	•	•							
Blanthrax®	150 ml	2 ml	o/h	•													•		
Botuthrax	100 ml	2 ml	o/h													•	•		
Duovax	100 ml	2 ml	o/h	•												•	•		
Supavax®	100 ml	2 ml	o/h	•												•	•		
Multivax-P	100/250/500 ml	2 ml	o/h	•						•	•							•	•
Multivax-P Plus	100/250/500 ml	2 ml	o/h	•		•		•	•	•	•							•	•
Covexin®10	100 ml	1 ml	o/h	•	•	•	•	•	•	•	•	•							

# VACCINATION SCHEDULE FOR HORSES

## FOR TECHNICAL ADVISORS

DISEASE	PROPOSED VACCINATIONS					
	FOALS/WEANLINGS	YEARLINGS	PERFORMANCE HORSES	PLEASURE HORSES	BROODMARES	VACCINES
TETANUS	1 <sup>st</sup> dose: 3-4 months 2 <sup>nd</sup> dose: 4-5 months	Annual	Annual	Annual	Annual: 4-6 weeks prefoaling	Equilis® Prequenza TE
INFLUENZA	1 <sup>st</sup> dose: 4-6 months 2 <sup>nd</sup> dose: 4-7 months 3 <sup>rd</sup> dose: 9-11 months	Annual	Annual	Annual	Annual	Equilis® Prequenza Equilis® Prequenza TE
		LOCAL REGULATIONS MUST BE ADHERED TO				
RABIES	3-4 months	Annual	Annual	Annual	Annual	Nobivac® Rabies
BOTULISM	3-4 months	Annual	Annual	Annual	Annual	Botuvax®

# PERDE INENTINGSPROGRAM

## VIR TEGNIESE ADVISEURS

SIEKTE	VOORGESTELDE INENTINGSPROGRAM					
	VULLENS	JAARROUD	PRESTASIEPERDE	RYPERDE	TEELMERRIES	ENTSTOF
KLEM-IN-DIE-KAAK	1 <sup>ste</sup> dosis: 3-4 maande 2 <sup>de</sup> dosis: 4-5 maande	Jaarliks	Jaarliks	Jaarliks	Jaarliks: 4-6 weke voor vul	Equilis® Prequenza TE
PERDEGRIEP	1 <sup>ste</sup> dosis: 4-6 maande 2 <sup>de</sup> dosis: 4-7 maande 3 <sup>de</sup> dosis: 9-11 maande	Jaarliks	Jaarliks	Jaarliks	Jaarliks	Equilis® Prequenza Equilis® Prequenza TE
		MOET OOK AAN PLAASLIKE REGULASIES VOLDOEN WORD				
HONSDOLHEID	3-4 maande	Jaarliks	Jaarliks	Jaarliks	Jaarliks	Nobivac® Rabies
LAMSIEKTE	3-4 maande	Jaarliks	Jaarliks	Jaarliks	Jaarliks	Botuvax®